

GENERAL LOCK

— BUILDERS HARDWARE —

INDEX:

Push Plates	L:1
Pull Plates	L:1
Kick Plates	L:1
Scar Plates	L:2
Hole Filler Plates	L:2
Filler Plate Kits	L:2
Aluminum Frame Filler Plates	L:3
Filler Plates	L:3
Wrap Around Plates	L:4

TERMS AND CONDITIONS:

LIMITED WARRANTY:

General Lock warrants its storefront hardware to be free from defects in mechanical operation and workmanship for a period of 1 year from the date of purchase. However, this warranty does not apply to products (i) used for purposes for which they are not designed or intended; (ii) which have been subjected to alteration, abuse, misuse, negligence or accident; (iii) which have been improperly stored, installed, maintained or operated; (iv) which have been used in violation of written instructions provided by General Lock; or (v) which have been subjected to improper temperature, humidity or other environmental conditions (i.e. corrosion). General Lock will, at its option, repair or replace its products, which in its opinion are found to be defective. Products repaired or replaced under this warranty are covered only for the remainder of the original warranty period. THIS WARRANTY IS IN PLACE OF ALL OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, AND EXCLUDES THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. The following costs and expenses are not covered by the provisions of this limited warranty: (i) labor costs for the removal and reinstallation of storefront hardware; (ii) shipping and freight expenses required to return the storefront hardware to General Lock or an authorized seller; (iii) normal maintenance; and (iv) any other incidental, consequential, indirect, special and/or punitive damages, whether based in contract, warranty, tort (including, but not limited to, strict liability or negligence), patent infringement, or otherwise, even if advised of the possibility of such damages. General Lock's maximum liability under this limited warranty is limited to the original purchase price of the product.

ORDERING / QUOTES:

Possession of prices from General Lock does not commit General Lock to accept any order. General Lock reserves the right to refuse any order and will not be bound to fill any order until it has been accepted by a representative of General Lock and confirmed by a written acknowledgement. Quotations are valid for ninety (90) days following the date of quotation. Orders must be submitted in writing.

CLAIMS:

Every possible care is taken in the final examination and packing of goods, and no complaints can be entertained unless made promptly on receipt of goods. No claim will be allowed for work done by others, consequential damages, or other expenditure, and General Lock's undertaking to repair or replace defective goods is its only liability. No claim for damage, shortage or loss in transit will be considered unless notice in writing is given to the carrier and to General Lock within ten (10) days of receipt of goods.

RETURNS:

Customer must advise General Lock of merchandise to be returned and an RGA will be issued. Goods returned without an RGA will not be accepted by General Lock. Full credit against future purchases or replacements will be made at the option of General Lock if its investigations reveal goods were shipped in error or are defective in workmanship or material. Otherwise, a restocking fee of no less than fifty (50%) percent or \$100 Net (whichever is greater), will be charged to return standard stock products, custom or "special" order items will be handled on a case to case basis.

BACK CHARGES:

General Lock is not responsible for, does not authorize, and will not accept any charges for the cost of labor or materials incurred by anyone other than General Lock for any installation, repair, service or replacement unless incurred with General Lock prior agreement and written consent.

SPECIAL ORDERS:

Products not listed in this catalog are considered 'special order products' and must be authorized by the factory. Some items will require a minimum purchase quantity or additional charges. Unless quoted differently from the Factory, standard factory lead times of 8-12 weeks will apply. Orders for 'special order products' are non-cancelable and can not be returned unless defective.

Push, Pull, and Kick Plates


APPLICATIONS:

Adding a decorative accent can protect the finish on metal or wood interior or exterior doors. Solid brass gives maximum corrosion resistance, plate is easy to install, and plastic cover protects finish during installation.

PUSH PLATES:

Used on a door to protect the door from excessive wear, handprints and other damage. ANSI: J301.


PART#:	Description
BH-70-605:	3-1/2" x 15", US3
BH-70-613:	3-1/2" x 15", US10B
BH-70-628:	3-1/2" x 15", US28
BH-70-630:	3-1/2" x 15", US32D
BH-71-628:	4" x 16", US28
BH-71-630:	4" x 16", US32D



PULL PLATES:

For use on interior or exterior of door to protect surface. Can be used to cover holes or to conceal minor damage. ANSI: J405.


PART#:	Description
BH-7010-605:	5-1/2" center to center, 3-1/2" x 15", US3
BH-7010-613:	5-1/2" center to center, 3-1/2" x 15", US10B
BH-7010-628:	5-1/2" center to center, 3-1/2" x 15", US28
BH-7010-630:	5-1/2" center to center, 3-1/2" x 15", US32D
BH-7110-630:	5-1/2" center to center, 4" x 16", US32D
BH-7116-630:	8" center to center, 4" x 16", US32D



KICK PLATES:

Used on door subject to marring or damage from foot traffic. ANSI: J102.

PART#:	Description
BH-10X34-630:	10" x 34", US32D, 0.05TH
BH-8X34-630:	8" x 34", US32D



GENERAL LOCK

Quality & Value™

— Product Guide 103.1 — | L:1 |

Filler Plates (page one of two)

APPLICATIONS:

For repairing, reinforcing, or remodeling doors.

SCAR PLATES:

Scar plates fit under locksets to cover damaged doors. Perfect for remodeling or repairing doors without the costly replacement of door. Heavy-duty one-piece construction. Scar plates convert 2-3/8" to 2-3/4" backset.

PART#:	Description
BH-PBSP-135-605:	Knob scar plate, converts 2-3/8" - 2-3/4", US3
BH-PBSP-135-609:	Knob scar plate, converts 2-3/8" - 2-3/4", US5
BH-PBSP-135-630:	Knob scar plate, converts 2-3/8" - 2-3/4", US32D
BH-PBDSP-135-605:	Fits under deadbolt collars, converts 2-3/8" to 2-3/4" backset, US3
BH-PBDSP-135-630:	Fits under deadbolt collars, converts 2-3/8" to 2-3/4" backset, 32D

HOLE FILLER PLATES:


Hole filler plates are designed to cover up holes.

PART#:	Description
BH-AR-335-613:	3-1/2" diameter, US10B, allows for use of levers on 1-3/8" door
BH-AR-335-630:	3-1/2" diameter, US32D, allows for use of levers on 1-3/8" door
BH-BF-135-PC:	Hole filler, covers up to a 3-3/4" diameter, USP
BH-BF-161-BP:	Hole filler, covers up to a 2-1/8" diameter, Brass Plated
BH-BF-161-PC:	Hole filler, covers up to a 2-1/8" diameter, USP
BH-BF-161-SL:	Hole filler, covers up to a 2-1/8" diameter, Silver
BH-BF-178-PC:	Hole filler, covers up to a 1-1/2" diameter, USP
BH-BF-178-SL:	Hole filler, covers up to a 1-1/2" diameter, Silver
BH-PDF-161-PC:	Hole filler, covers up to 2-1/8" hole under rim panic device, USP


FILLER PLATE KITS:

Finishes: PC (Prime Coated)


PART#:	Description
BH-FPK-86:	KIT, FOR 86 CUT OUT, USP
BH-FPK-161:	KIT, FOR 161 CUT OUT, USP




Scar Plate
BH-SP-135
(shown above)




Scar Plate
BH-DSP-135
(shown above)




Hole Filler Plate
BH-AR-335
(shown above)




Hole Filler Plate
BH-BF-135
(shown above)




Hole Filler Plate
BH-BF-161
(shown above)




Hole Filler Plate
BH-BF-178
(shown above)



Hole Filler Plate
BH-PDF-161
(shown above)



Filler Plate Kit
BH-FPK-86
(shown above)



Filler Plate Kit
BH-FPK-161
(shown above)

GENERAL LOCK

Quality & Value™

Filler Plates (page two of two)


APPLICATIONS:

For repairing, reinforcing, or remodeling doors.

ALUMINUM FRAME FILLER PLATES:

Aluminum Frame Filler plates fit selected Folger Adams, Von Duprin, and Rofu numbers.

PART#:	Description
BH-AF-260-SL:	Electric strike filler, 4-7/8" x1-1/4", Silver
BH-AF-261-SL:	Electric strike filler, 4-7/8" x1-1/4", Silver



BH-AF-260-SL
(shown above)




BH-AF-261-SL
(shown above)

FILLER PLATES:

BH-BTS-160-PC:	T-strike with 160 cut out, 2-3/4" x 1-3/8", USP
BH-FF-45:	Frame hinge cut out, 4-1/2" x 1-5/8", USP
BH-FS-260-PC:	Strike filler, 4-7/8" x 1-1/4", USP
BH-HS-060:	16-gauge, hinge shim, 4-1/2", USP
BH-HS-090:	13-gauge, hinge shim, 4-1/2", USP
BH-CV-86:	Converts 86 cut out to 161, 8" x 1-1/4", USP
BH-EF-86:	86 cut out, 8" x 1-1/4" x 3/16", USP
BH-EF-160:	160 cut out, 2-1/4" x 1", USP
BH-EF-161:	161 cut out, 2-1/4" x 1-1/8", USP
BH-EF-161-S:	161 cut out, 2-3/4" x 1-1/8", USP
BH-EF-634:	6-3/4" x1", flush bolt cut out, USP
BH-HF-45:	Door hinge cut out, 4-1/2" x 1-3/4", USP
BH-SHF-45:	Door hinge cut out, 4-1/2" x 1-1/2", USP



BH-BTS-160-PC
T-strike with 160 cut out
(shown above)



BH-FF-45
Frame hinge cut out
(shown above)



BH-FS-260-PC
ANSI strike cut out
(shown above)



BH-HS-060
16 (.060) Gauge hinge shim
(shown above)



BH-CV-86
Converts 86 cut out to 161
(shown above)




BH-EF-86
86 cut out
(shown above)



BH-EF-160
160 cut out
BH-EF-161
160 cut out
(shown above)



BH-EF-634
Flush bolt cut out
(shown above)



BH-HF-45
Door hinge cut out
(shown above)

GENERAL LOCK

Quality & Value™

— Product Guide 103.1 — L:3


Wrap Arounds

APPLICATIONS:


For repairing, reinforcing, or remodeling doors.

WRAP AROUND PLATES:


PART#:	Description
BH-1-PB-CW:	2-3/8", 1-3/8", 2-1/8", 4" x 9", US3
BH-1-S-CW:	2-3/8", 1-3/8", 2-1/8", 4" x 9", US32D
BH-2-PB-CW:	2-3/8", 1-3/4", 2-1/8", 4" x 9", US3
BH-2-S-CW:	2-3/8", 1-3/4", 2-1/8", 4" x 9", US32D
BH-3-PB-CW:	2-3/4", 1-3/8", 2-1/8", 4-1/4" x 9", US3
BH-4-PB-CW:	2-3/4", 1-3/4", 2-1/8", 4-1/4" x 9", US3
BH-4-S-CW:	2-3/4", 1-3/4", 2-1/8", 4-1/4" x 9", US32D
BH-4-S-2-CW:	2-3/4", 1-3/4", 2-1/8", 4-3/4" x 9", US32D
BH-12-2-S-CW:	2-3/4", 1-3/4", 2-1/8", 4-3/4" x 12", US32D
BH-14-S-CW:	2-3/4", 1-3/4", 5" x 14", US32D
BH-14-2-S-CW:	2-3/4", 1-3/4", 5" x 14", US32D
BH-15-S-CW:	2-3/4", 1-3/4", 5" x 15", 32D, Simplex 1000
BH-20-S-CW:	2-3/4", 1-3/4", 2-1/8", 5" x 20", US32D
BH-27-S-CW:	2-3/4", 1-3/4", 5" x 15", US32D, Alarm Lock Trilogy
BH-40-S-CW:	1-3/4", 4-1/4" x 9", US32D, Blank Plate
BH-51-PB-CW:	2-3/8", 1-3/8", 2-1/8", 4" x 4-1/2", US3
BH-61-PB-CW:	2-3/8", 1-3/4", 2-1/8", 4" x 4-1/2", US3
BH-80-S-CW:	1-3/4", 4-1/2" x 4-1/2", US32D, Blank Plate
BH-81-PB-CW:	2-3/4", 1-3/4", 2-1/8", 4-1/4" x 4-1/2", US3
BH-81-S-CW:	2-3/4", 1-3/4", 2-1/8", 4-1/4" x 4-1/2", US32D
BH-504-S-CW:	1-3/4", 5" x 12", US32D, Mortise 86 cut-out




**BH-1-PB-CW
BH-1-S-CW**
(shown above)




**BH-2-PB-CW
BH-2-S-CW**
(shown above)




BH-3-PB-CW
(shown above)



**BH-4-PB-CW
BH-4-S-CW**
(shown above)




BH-4-S-2-CW
(shown above)




BH-12-2-S-CW
(shown above)




BH-14-S-CW
(shown above)




BH-14-2-S-CW
(shown above)



BH-15-S-CW
(shown above)




BH-20-S-CW
(shown above)




BH-27-S-CW
(shown above)



**BH-40-S-CW
BH-80-S-CW**
(shown above)



**BH-51-PB-CW
BH-61-PB-CW
BH-81-PB-CW
BH-81-S-CW**
(shown above)



BH-504-S-CW
(shown above)