

GENERAL LOCK

— DEADBOLTS —

INDEX:

Grade 1 D660 Series Deadbolt

Applications	B:1
Features	B:1
Functions	B:1

Grade 2 D160 Series Deadbolt

Applications	B:2
Features	B:2
Functions	B:2

Grade 3 D360 Series Residential Deadbolt

Applications	B:4
Features	B:4
Functions	B:4

Deadbolt Pictures

B:5

How to Order - Nomenclature

Deadbolts	B:6
-----------------	-----

Deadbolts at a Glance

B:6

Deadbolt Components

Latches	B:7
Strikes.....	B:7

TERMS AND CONDITIONS:

LIMITED WARRANTY:

General Lock warrants its deadbolts to be free from defects in mechanical operation and workmanship for a period of 25 years from the date of purchase. General Lock further warrants the finish on its deadbolts for a period of 5 years. However, this warranty does not apply to products (i) used for purposes for which they are not designed or intended; (ii) which have been subjected to alteration, abuse, misuse, negligence or accident; (iii) which have been improperly stored, installed, maintained or operated; (iv) which have been used in violation of written instructions provided by General Lock; or (v) which have been subjected to improper temperature, humidity or other environmental conditions (i.e. corrosion). General Lock will, at its option, repair or replace its products, which in its opinion are found to be defective. Products repaired or replaced under this warranty are covered only for the remainder of the original warranty period. THIS WARRANTY IS IN PLACE OF ALL OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, AND EXCLUDES THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. The following costs and expenses are not covered by the provisions of this limited warranty: (i) labor costs for the removal and reinstallation of the deadbolts; (ii) shipping and freight expenses required to return the deadbolts to General Lock or an authorized seller; (iii) normal maintenance; and (iv) any other incidental, consequential, indirect, special and/or punitive damages, whether based in contract, warranty, tort (including, but not limited to, strict liability or negligence), patent infringement, or otherwise, even if advised of the possibility of such damages. General Lock's maximum liability under this limited warranty is limited to the original purchase price of the product.

ORDERING / QUOTES:

Possession of prices from General Lock does not commit General Lock to accept any order. General Lock reserves the right to refuse any order and will not be bound to fill any order until it has been accepted by a representative of General Lock and confirmed by a written acknowledgement. Quotations are valid for ninety (90) days following the date of quotation. Orders must be submitted in writing.

CLAIMS:

Every possible care is taken in the final examination and packing of goods, and no complaints can be entertained unless made promptly on receipt of goods. No claim will be allowed for work done by others, consequential damages, or other expenditure, and General Lock's undertaking to repair or replace defective goods is its only liability. No claim for damage, shortage or loss in transit will be considered unless notice in writing is given to the carrier and to General Lock within ten (10) days of receipt of goods.

RETURNS:

Customer must advise General Lock of merchandise to be returned and an RGA will be issued. Goods returned without an RGA will not be accepted by General Lock. Full credit against future purchases or replacements will be made at the option of General Lock if its investigations reveal goods were shipped in error or are defective in workmanship or material. Otherwise, a restocking fee of no less than fifty (50%) percent or \$100 Net (whichever is greater), will be charged to return standard stock products, custom or "special" order items will be handled on a case to case basis.

BACK CHARGES:

General Lock is not responsible for, does not authorize, and will not accept any charges for the cost of labor or materials incurred by anyone other than General Lock for any installation, repair, service or replacement unless incurred with General Lock prior agreement and written consent.

SPECIAL ORDERS:

Products not listed in this catalog are considered 'special order products' and must be authorized by the factory. Some items will require a minimum purchase quantity or additional charges. Unless quoted differently from the Factory, standard factory lead times of 8-12 weeks will apply. Orders for 'special order products' are non-cancelable and can not be returned unless defective.

Grade 1 D660 Series Deadbolt

Applications, Features, and Functions

APPLICATIONS:

The D660 Series is a super heavy-duty deadbolt that provides an outstanding combination of performance, security, and value. The D660 is ideal for heavy-duty commercial applications including high-traffic doors in hospitals, schools, hotels, restaurants, and government buildings.



D660
(shown IC Core Prep)

FEATURES:

CERTIFICATIONS: ANSI A156.5, Grade 1, 250,000 cycles, UL Listed for 3 hours



MECHANISM: Internal security chassis. Features a zinc security installation cage.

FINISHES: 605, 613, 626

DOOR THICKNESS: Fits doors up to 2" thick

BACKSET: 2-3/4"

STRIKE: Square 2-3/4" x 1-1/8", solid steel reinforced strike plate with 3" strike installation screws

BOLT: 1" throw, fixed backset with free-turning, Hardened-steel, saw resistant roller housed within the bolt

KEYS: 2 cut keys

CYLINDER: Solid brass cylinder, drilled 6, pinned 6, SCH C keyway. Accepts converter cylinders. SFIC prep also available.

IC CORE: Small format interchangeable core prep that accepts 6 and 7-pin cores

CASE QUANTITY: 10

WARRANTY: 25-year mechanical warranty and 5-year finish warranty

FUNCTIONS:



SINGLE CYLINDER DEADBOLT - Deadbolt thrown or retracted by key on the outside or by inside turn unit. Bolt automatically deadlocks when fully thrown.



DOUBLE CYLINDER DEADLOCK - Deadbolt thrown or retracted by key on either side. Bolt automatically deadlocks when fully thrown.

GENERAL LOCK

Quality & Value™

— Product Guide 103.1 — B:1

Grade 2 D160 Series Deadbolt

Applications, Features, and Functions

APPLICATIONS:

The D160 Series is a medium-duty commercial deadbolt which provides an outstanding combination of performance and value. The D160 is ideal for medium-duty commercial applications including office buildings, hospitals, schools, hotels, restaurants, nursing homes, apartments, and retail complexes.



D160

FEATURES:

CERTIFICATIONS: ANSI A156.5, Grade 2, 150,000 cycles, UL Listed



FINISHES: 605, 613, 626

DOOR THICKNESS: Fit doors 1-3/8" to 2" thick

BACKSET: Adjustable 2-3/8" / 2-3/4" Square Corner Latch

STRIKE: Square 2-3/4" x 1-1/8", solid steel reinforced strike plate with 3" strike installation screws

BOLT: 1" throw, fixed backset with free-turning, Hardened-steel, saw resistant roller housed within the bolt

KEYS: 2 cut keys

CYLINDER: Solid brass cylinder, drilled 6, pinned 6, SCH C keyway. Accepts converter cylinders. SFIC prep also available.

IC CORE: Small format interchangeable core prep that accepts 6 and 7-pin cores

CASE QUANTITY: 10

WARRANTY: 25-year mechanical warranty and 5-year finish warranty

FUNCTIONS:



SINGLE CYLINDER DEADBOLT - Deadbolt thrown or retracted by key on the outside or by inside turn unit. Bolt automatically deadlocks when fully thrown.



DOUBLE CYLINDER DEADLOCK - Deadbolt thrown or retracted by key on either side. Bolt automatically deadlocks when fully thrown.

GENERAL LOCK

Quality & Value™

Grade 3 D360 Series Residential Deadbolt

Applications, Features, and Functions

APPLICATIONS:

The D360 is a light-duty commercial and high-end residential deadbolt suitable for interior and exterior doors of office buildings, hotel / motel, storefronts, multi-family housing, condominiums, and apartments.



FEATURES:

CERTIFICATIONS: ANSI A156.5, Grade 3, 100,000 cycles, UL Listed bolt available

FINISHES: 605, 609, 619, 626

DOOR THICKNESS: 1-3/8" - 1-3/4". Retrofits doors from 1-1/2" to 2-1/8" cross-bore for flexible mounting.

BACKSET: Adjustable 2-3/8" / 2-3/4" square corner latch

STRIKE: Square 2-1/4" x 1" strike standard, radius strike optional

BOLT: 1" throw, adjustable backset, solid steel bolt

KEYS: 2 cut keys

CYLINDER: Pinned 5, drilled 5 solid brass cylinder and housing with KW1 or SCH C keyway standard. 2 keys included. Cylinder is rekeyable and master-keyable.

CASE QUANTITY: 10

WARRANTY: 25-year mechanical warranty and 5-year finish warranty

FUNCTIONS:



SINGLE CYLINDER DEADBOLT - Deadbolt thrown or retracted by key on the outside or by inside turn unit. Bolt automatically deadlocks when fully thrown.



DOUBLE CYLINDER DEADLOCK - Deadbolt thrown or retracted by key on either side. Bolt automatically deadlocks when fully thrown.

GENERAL LOCK

Quality & Value™

Grade 1 D660 (shown IC Core Prep)
Single Cylinder





Grade 2 D160
Single Cylinder



Grade 2 D160 (shown IC Core Prep)
Single Cylinder



DEADBOLT PICTURES:



Grade 3 D360
Single Cylinder




Grade 3 D360
Double Cylinder



Deadbolts

How to Order - Nomenclature

D 16 O 626 234 C



Deadbolts at a Glance

Review these features and see which General Lock is right for your needs.

General Lock Deadbolt	ANSI Grade	Min. Cycles	UL Listed	Accepts Converter Cylinder	Standard Keyway	Small Format IC Core Option	Pinning	Reinforced Strike	Standard Bolt	Optional Bolts
D660	1	250,000	Yes	Yes	SCH C	Yes	6-pin	Yes	Fixed 2-3/4"	Fixed 2-3/8"
D160	2	150,000	Yes	Yes	SCH C	Yes	6-pin	Yes	Fixed 2-3/4"	Fixed 2-3/8"
D360	3	100,000			KW1		5-pin		Adjustable	Drive-in

GENERAL LOCK

Quality & Value™

Deadbolt Components

Latches and Strikes

COMPONENTS:

LATCHES

For D160 - Available in 605, 613, and 626 finishes (xxx indicates finish under Part #).

	Description	Part Number	Finish
Fixed 2-3/8"	Fixed 2-3/8" square-corner bolt for D160 series deadlock	DB-238 xxx	Specify
Fixed 2-3/4"	Fixed 2-3/4" square-corner bolt for D160 series deadlock	DB-234 xxx	Specify

For D260 - Available in 605, 609, and 626 finishes (xxx indicates finish under Part #).

	Description	Part Number	Finish
Fixed 2-3/8"	Fixed 2-3/8" square-corner bolt for D260 series deadlock	DB3-238 xxx	Specify
Fixed 2-3/4"	Fixed 2-3/4" square-corner bolt for D260 series deadlock	DB3-234 xxx	Specify

For D360 - Available in 605, 609, and 626 finishes (xxx indicates finish under Part #).

	Description	Part Number	Finish
Adjustable radius	Adjustable radius-corner bolt for D260 series deadlock	3DTDB xxx ADJ R	Specify
Adjustable drive-in	Adjustable drive-in bolt for D360 series deadlock	3DTDB xxx ADJ D	Specify

For D660 - Available in 605, 613, and 626 finishes (xxx indicates finish under Part #).

	Description	Part Number	Finish
Fixed 2-3/8"	Fixed 2-3/8" square-corner bolt for D660 series deadlock	DB1-238 xxx	Specify
Fixed 2-3/4"	Fixed 2-3/4" square-corner bolt for D660 series deadlock	DB1-234 xxx	Specify

STRIKES - Available in 605, 609, and 626 finishes (xxx indicates finish under Part #).

For D360

	Description	Part Number	Finish
Radius-corner	Radius-corner strike for D360 series deadlock	3DTBS xxx R	Specify



GENERAL LOCK

Quality & Value™

— Product Guide 103.1 — B:7